
RG104 E-1 Box 149 HERMAN WEBER. Office of H. WEBER & CO. IMPORTERS OF Optical Goods, Watch Materials and Jewelers' Findings. WHOLESALE JEWELERS. P. O. Box 3474. 424 Washington Street. Boston, Dec 5th, 887 Anited States Mint Av Hellehir who attends to our Gold afe has just arrived home from attrip and has elamined you last assay of bold sent Jun Novas mys) 18114 11/25 1913 de Sola leaf 18114 11/25 197 " 1818 47 " 10 K. Ha thinks that the same should have amounted to more than was sent. Please informe us if there was no error and ottage Respet Of Weber 18

RG104 E-1 Box 149

Boston Mass. Dec. 5.1887

H. Weber & Go.

Complain of insufficient returns from Sola Deposit Sent Nov. 23 1887.



Mint of the United States at Philadelphia, Pa.,

6 December, 1887.

Dear Sir

Letter Devould outpool fully that they the deposis had been reassayed and the assay is the same as reported on the memor candem sent to the depositor and the calculations have been recommend and there is no Enougher

Bon Daul m. Fre 36. S. Contra

Sufre W & mure

Phil

NARA RG104, Entry 1, Box 149

[Letter One:]

[Abstract:] Complain of insufficient returns from Gold Deposit sent Nov. 23rd 1887. Enclosures

Herman Weber, Eugene Weber.

Office of H. Weber & Co., Wholesale Jewelers

Importers of Optical Goods, Watch Materials and Jewelers' Findings.

P. O. Box 3474. 424 Washington Street.

Boston

December 5, 1887

United States Mint

Gents

Mr. H. Weber who attends to our Gold a/c has just arrived home from a trip and has examined your last assay of Gold sent you Nov. 23^{al} 1887.

It contained

19 1/3	dwts	Gold leaf
172	66	18K
132	٠٠	14K
472	"	10K

He thinks that the same should have amounted to more than was sent. Please inform us if there was no error and oblige

Respt

H Weber & Co

Received Dec 6 1887

U.S. Mint, Phila.

[Noted in margins:] 18779 11/25

NARA RG104, Entry 1, Box 149

[Letter Two:]

Mint of the United States at Philadelphia, PA Superintendent's Office, December 6, 1887

Dear Sir

In answer to the accompanying letter I would respectfully state that the deposit has been reassayed and the assay is the same as reported on the memorandum sent to the depositor and the calculations have been reexamined and there is no error here.

Very respectfully H. S. Cortina

Hon Dan'l M. Fox Supt U.S. Mint Phila